



# Approvals

Updated: April 16, 2012

**California Title 24 – PremiumCoat® System meets all Title 24 requirements.**

Reference A - Celotex Test Report, MTS Job No. 257771  
 Reference B - PRI, Asphalt Technologies, Test Result Report dated 6/1/05





## CRRC (Cool Roof Rating Council) –



Model - PremiumCoat® White Finish Coat  
 Type - Other - Fluid Applied Roofing

Model - PremiumCoat® Cotton Finish Coat  
 Type - Other - Fluid Applied Roofing

 COOL ROOF RATING COUNCIL®		<u>Initial</u>	<u>Weathered</u>
	Solar Reflectance	0.79	0.70
Thermal Emittance	0.90	0.90	
Rated Product ID Number	0614-0039		
Licensed Seller ID Number	0614-0039		
Classification	Production Line		
<small>Cool Roof Rating Council ratings are determined for a fixed set of conditions, and may not be appropriate for determining seasonal energy performance. The actual effect of solar reflectance and thermal emittance on building performance may vary.</small>			
<small>Manufacturer of product stipulates that these ratings were determined in accordance with the applicable Cool Roof Rating Council procedures.</small>			

 COOL ROOF RATING COUNCIL®		<u>Initial</u>	<u>Weathered</u>
	Solar Reflectance	0.71	0.67
Thermal Emittance	0.90	0.90	
Rated Product ID Number	0614-0040		
Licensed Seller ID Number	0614-0040		
Classification	Production Line		
<small>Cool Roof Rating Council ratings are determined for a fixed set of conditions, and may not be appropriate for determining seasonal energy performance. The actual effect of solar reflectance and thermal emittance on building performance may vary.</small>			
<small>Manufacturer of product stipulates that these ratings were determined in accordance with the applicable Cool Roof Rating Council procedures.</small>			

Low-slope - Yes  
 Steep-slope – Yes  
 Product ID - **0614-0039**

Low-slope - Yes  
 Steep-slope – Yes  
 Product ID - **0614-0040**

Reference - CRRC Web Site: [www.coolroofs.org](http://www.coolroofs.org)  
 Reference - PRI Asphalt Technologies report HSI-001-02-01

## Miami-Dade County –

Notice of Acceptance -  
 11-0531.07 - Roof Maintenance Coating  
 08-1024.12 - Lightweight Concrete Decks  
 08-1112.12 - over Concrete decks  
 08-1112.13 - over Steel Decks  
 08-1112.14 - over Wood Decks  
 09-0219.12 - over Recover Decks



**Department of Energy, ENERGY STAR® –**

PremiumCoat® FinishCoat, White = Approved  
PremiumCoat® FinishCoat, Cotton = Approved



**Factory Mutual (FM) –**

Approved Class 1 4470 / 4474 Roof System  
(see attached FM Test results)



**GSA (U.S. General Services Administration) –**

Contract Number - **GS-07F-5988R**  
Special Item Number - **563-4**



**Florida Department of Codes –**

Acceptance - **FL 6623-R1**  
Florida Building Code online: <http://www.floridabuilding.org>



**NSF (National Sanitation Foundation) –**

NSF/ANSI STANDARD 61  
BarrierGuard = Approved  
Drinking Water System Components - Health Effects  
Report # 509123-02



**OTC (Ozone Transport Commission) –**

All products manufactured by Hydro-Stop meet and exceed the requirements for the OTC in all areas of the country.



**Underwriters Laboratories (UL) –**

PremiumCoat® is a certified Roofing System  
UL File # - **TGFU.R26758**  
Fluid-Applied Coating Systems

